


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	RELEASED FOR PRODUCTION	05/21/01	MCCORMICK
B	REVISED TABLE ECN# 1128	06/24/02	MCCORMICK
C	PRODUCT VALIDATION UPDATES [ECN 1204]	10/29/02	P. LECLAIR
D	ECN 3288: UPDATE DWG FORMAT	4/28/08	D.GRIFFIN



MODEL #	LENGTH	
	FEET	METERS
CCSHR188A-1	1.0	0.30
CCSHR188A-1.5	1.5	0.46
CCSHR188A-2	2.0	0.61
CCSHR188A-2.5	2.5	0.76
CCSHR188A-3	3.0	0.91
CCSHR188A-4	4.0	1.22
CCSHR188A-5	5.0	1.52
CCSHR188A-7.5	7.5	2.29
CCSHR188A-10	10.0	3.05

NOTES:

CABLE ASSEMBLY IS DESIGNED FOR HIGH TEMPERATURE APPLICATIONS (165°C)
 CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY
 CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN POLYBAG

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤ 12 [305] = +1 [25] / -0 >12 [305] ≤ 60 [1524] = -2[5] / -0 >60 [1524] ≤ 120 [3048] = +4 / -0 >120 [3048] ≤ 300 [7620] = +6 / -0 >300 [7620] = +5% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = .3 .XX = .15	APPROVALS DRAWN BY MCCORMICK CHECKED BY D.PARHAM APPROVED BY R.CARRICK	DATE 05/07/01 05/09/01 05/18/01	 45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY		CATEGORY COAXIAL
	PROJECTION 		PRODUCT DESCRIPTION CA SMA M/SMA M RA RG188A/U
	COLOR VARIATIONS MAY OCCUR	SIZE A	FSCM NO. 43321